SINC Binkerhoovy Swiens Beneh

RATA SEQUERICE E STUNG

The Biotechnology Systems-Branch of the Scientific and Technical Information

Center (STIC) detected errors when processing the following computer readable

form:

Application Serial Number:

Source:

Date Processed by STIC:

0/517,324A 3/3/106

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 4.4.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
 U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street,
 Alexandria, VA 22314

Revised 01/10/06

Raw Sequence Listing Error Summary

ERROR DETECTED	SUGGESTED CORRECTION	SERIAL NUMBER: 10 517,324A
ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE		
1Wrapped Nu Wrapped Ar		ch line "wrapped" down to the next line. This may occur if your file rafter creating it. Please adjust your right margin to .3; this will
2Invalid Line	Length The rules require that a line not e	exceed 72 characters in length. This includes white spaces.
3Misaligned A Numbering	mino The numbering under each 5 th an use space characters, instead.	nino acid is misaligned. Do not use tab codes between numbers;
4Non-ASCII	The submitted file was not saved ensure your subsequent submis	in ASCII(DOS) text, as required by the Sequence Rules. Please sion is saved in ASCII text.
5Variable Len	each n or Xaa can only represe	Caa's representing more than one residue. Per Sequence Rules, nt a single residue. Please present the maximum number of each and indicate in the <220>-<223> section that some may be missing.
6PatentIn 2.0 "bug"	sequences(s) Nor previously coded nucleic acid sec	has caused the <220>-<223> section to be missing from amino acid mally, Patentln would automatically generate this section from the quence. Please manually copy the relevant <220>-<223> section to nce. This applies to the mandatory <220>-<223> sections for es.
7Skipped Seqi (OLD RULE	S) (2) INFORMATION FOR SEQ I (i) SEQUENCE CHARA	ntentional, please insert the following lines for each skipped sequence: ID NO:X: (insert SEQ ID NO where "X" is shown) CTERISTICS: (Do not insert any subheadings under this heading) N:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) ipped
	Please also adjust the "(ii) NUMI	BER OF SEQUENCES:" response to include the skipped sequences.
8Skipped Sequ (NEW RULE		intentional, please insert the following lines for each skipped sequence.
9Use of n's or (NEW RULE	S) Per 1.823 of Sequence Rules, use	en detected in the Sequence Listing. e of <220>-<223> is MANDATORY if n's or Xaa's are present. e explain location of n or Xaa, and which residue n or Xaa represents.
10Invalid 213 Response	 Per 1.823 of Sequence Rules, the scientific name (Genus/species). is Artificial Sequence 	only valid <213> responses are: Unknown, Artificial Sequence, or <220>-<223> section is required when <213> response is Unknown or
11Use of <220>	Use of <220> to <223> is MANI "Unknown." Please explain sour	he <220> "Feature" and associated numeric identifiers and responses. OATORY if <213> "Organism" response is "Artificial Sequence" or ce of genetic material in <220> to <223> section. 998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
PatentIn 2.0 "bug"	resulting in missing mandatory n	'function of PatentIn version 2.0. This causes a corrupted file, umeric identifiers and responses (as indicated on raw sequence Manager" or any other manual means to copy file to floppy disk.
13 Misuse of n/	Xaa "n" can only represent a single <u>n</u>	ucleotide; "Xaa" can only represent a single amino acid



PCT

RAW SEQUENCE LISTING

DATE: 03/31/2006

PATENT APPLICATION: US/10/517,324A

TIME: 15:26:22

Input Set : A:\PTO.SS.txt

Output Set: N:\CRF4\03312006\J517324A.raw

3 <110> APPLICANT: SinoGenoMax Company Ltd
W--> 4 <120> TITLE OF INVENTION: Randomised DNA libraries and double-stranded RNA libraries,
use and
W--> 5 method of production thereof
W--> 6 <130> FILE REFERENCE: P06031PC00
W--> 7 <140> CURRENT APPLICATION NUMBER: PCT/SE2003/001077A
C--> 8 <141> CURRENT FILING DATE: 2004-12-20
9 <150> PRIOR APPLICATION NUMBER: US 60/390,108
10 <151> PRIOR FILING DATE: 2002-06-21

W--> 11 <160> NUMBER OF SEQ ID: 45

12 <170> SOFTWARE: PatentIn version 3.1

thes Not Comply
Corrected Diskette Needed

Corrected Diskette

ERRORED SEQUENCES

314 <210> SEQ ID NO: 34

315 <211> LENGTH: 19

316 <212> TYPE: DNA

317 <213> ORGANISM: Artificial Sequence

318 <221> NAME/KEY: misc feature

319 <222> LOCATION: (1)...(19)

W--> 320 <222> COCATION: (1)...(19)

W--> 321 <400> SEQUENCE: 34

W--> 322 nnnnnnnnnn nnnnnnnnn

19

See item ### Or error

10/5/7,324A PAJEZ

See iten# II on erron summary
sheet. I,

TO NO 8 of genetic material. <210> <211> 35 <212> Artificial Sequence <220> (Cleaved from SEQ ID NO 8 <223> <220> <221> misc_feature <222> (11)... (29) <223> n= a, "t", "c", or"g" <400> 25 gatctaaaaa nnnnnnnnn nnnnnnnnt tttta 35 <210> 26 <211> 35 <212> DNA <213> Artificial Sequence <220> <223> Cleaved from SEQ ID NO 24 <220> <221> misc_feature <222> (7)... (25) <223> n= a, "t", "c", or"g" <400> 26 attttnnnn nnnnnnnnn nnnnnaaaaa ttcga 35 <210> 27 <211> 50 <212> DNA <213> Artificial Sequence Invalid <220> <223> (DNA/RNA sequence <400> ggggaagatc taaaaaata aatgaatcaa gaacattttt aagcttgggg 50 See iten#11 on error summary sheet.

10/517/324A

page 3

The type of errors shown exist throughout the Sequence Listing. Please check subsequent eaguences for similar errors.

VERIFICATION SUMMARY DATE: 03/31/2006 PATENT APPLICATION: US/10/517,324A TIME: 15:26:23

Input Set : A:\PTO.SS.txt

Output Set: N:\CRF4\03312006\J517324A.raw

```
L:4 M:283 W: Missing Blank Line separator, <120> field identifier
L:6 M:283 W: Missing Blank Line separator, <130> field identifier
L:7 M:283 W: Missing Blank Line separator, <140> field identifier
L:7 M:270 C: Current Application Number differs, Replaced Current Application Number
L:8 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:11 M:283 W: Missing Blank Line separator, <160> field identifier
L:13 M:283 W: Missing Blank Line separator, <210> field identifier
L:17 M:283 W: Missing Blank Line separator, <220> field identifier
L:19 M:283 W: Missing Blank Line separator, <400> field identifier
L:25 M:283 W: Missing Blank Line separator, <220> field identifier
L:27 M:283 W: Missing Blank Line separator, <400> field identifier
L:33 M:283 W: Missing Blank Line separator, <220> field identifier
L:34 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:3
L:37 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:3
L:40 M:258 W: Mandatory Feature missing, <220> Tag not found for SEQ ID#:3
L:40 M:283 W: Missing Blank Line separator, <400> field identifier
L:41 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:62 M:283 W: Missing Blank Line separator, <220> field identifier
L:64 M:283 W: Missing Blank Line separator, <400> field identifier
L:70 M:283 W: Missing Blank Line separator, <220> field identifier
L:72 M:283 W: Missing Blank Line separator, <400> field identifier
L:78 M:283 W: Missing Blank Line separator, <220> field identifier
L:80 M:283 W: Missing Blank Line separator, <400> field identifier
L:86 M:283 W: Missing Blank Line separator, <220> field identifier
L:88 M:283 W: Missing Blank Line separator, <400> field identifier
L:94 M:283 W: Missing Blank Line separator, <220> field identifier
L:95 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:8
L:98 M:283 W: Missing Blank Line separator, <400> field identifier
L:99 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:104 M:283 W: Missing Blank Line separator, <220> field identifier
L:105 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:9
L:108 M:283 W: Missing Blank Line separator, <400> field identifier
L:109\ M:341\ W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:114 M:283 W: Missing Blank Line separator, <220> field identifier
L:115 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:10
L:118 M:283 W: Missing Blank Line separator, <400> field identifier
L:119 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:124 M:283 W: Missing Blank Line separator, <220> field identifier
L:126 M:283 W: Missing Blank Line separator, <400> field identifier
L:132 M:283 W: Missing Blank Line separator, <220> field identifier
L:134 M:283 W: Missing Blank Line separator, <400> field identifier
L:140 M:283 W: Missing Blank Line separator, <220> field identifier
L:142 M:283 W: Missing Blank Line separator, <400> field identifier
L:148 M:283 W: Missing Blank Line separator, <220> field identifier
L:150 M:283 W: Missing Blank Line separator, <400> field identifier
L:156 M:283 W: Missing Blank Line separator, <220> field identifier
L:158 M:283 W: Missing Blank Line separator, <400> field identifier
L:164 M:283 W: Missing Blank Line separator, <220> field identifier
```

DATE: 03/31/2006

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/517,324A TIME: 15:26:23

Input Set : A:\PTO.SS.txt

Output Set: N:\CRF4\03312006\J517324A.raw

L:166 M:283 W: Missing Blank Line separator, <400> field identifier L:172 M:283 W: Missing Blank Line separator, <220> field identifier L:174 M:283 W: Missing Blank Line separator, <400> field identifier L:180 M:283 W: Missing Blank Line separator, <220> field identifier L:182 M:283 W: Missing Blank Line separator, <400> field identifier L:188 M:283 W: Missing Blank Line separator, <220> field identifier L:190 M:283 W: Missing Blank Line separator, <400> field identifier L:196 M:283 W: Missing Blank Line separator, <220> field identifier L:198 M:283 W: Missing Blank Line separator, <400> field identifier L:204 M:283 W: Missing Blank Line separator, <220> field identifier L:206 M:283 W: Missing Blank Line separator, <400> field identifier L:212 M:283 W: Missing Blank Line separator, <220> field identifier L:214 M:283 W: Missing Blank Line separator, <400> field identifier L:220 M:283 W: Missing Blank Line separator, <220> field identifier L:229 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:24 L:233 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0 L:245 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0 L:257 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0 L:320 M:258 W: Mandatory Feature missing, <220> Tag not found for SEQ ID#:34 L:321 M:200 E: Mandatory Header Field missing, <220> Tag not found for SEQ ID#:34 L:322 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0 L:354 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:38 L:362 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0 L:379 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0 L:408 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:0 L:420 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:43 after pos.:0 L:432 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44 after pos.:0 L:444 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:45 after pos.:0